


RGeo-eye® Visualizer redefines borehole camera surveys by providing a full 360° unwrapped image of the borehole. Unlike conventional camera systems, which rely on the operator spotting and recording a side view video of a potential problem in the borehole, RGeo-eye® records the complete sidewall or casing, leaving nothing to chance. 55





RGeo-eye® Visualizer redefines borehole camera surveys by providing a full 360° unwrapped image of the borehole. Unlike conventional camera systems, which rely on the operator spotting and recording a side view video of a potential problem in the borehole, RGeo-eye® records the complete sidewall or casing, leaving nothing to chance.

Developed by logging professionals with their reporting needs in mind, the software focuses on producing industry-standard video reports quickly and reliably.

With the emphasis on deliverables, the easy-to-navigate module and pre-set templates reduce processing time without any compromise on quality. The RGeo-eye® Visualizer module within GeoCAD® is the software of choice for all logging users looking to reduce costs, improve workflows and enhance time management.



- 100% of the borehole or casing sidewall is recorded every time
- No longer dependent on the operator spotting and recording features
- No more disorientating videos to interpret
- RGeo-eye® delivers a down view video, a full 360° unwrapped image of the entire borehole and a 3D fly-through image of the borehole
- Quick and easy data collection - as the unwrapped image is produced after the down view video is obtained, the user just needs to make a record the down view video, as there is no longer any need to waste valuable time scanning the borehole walls looking for features
- One easy-to-use interface allows users to replay, review and comment on videos, take screenshots and produce standard reports; it couldn't be easier

USER EXPERIENCE

- Easy to navigate
- Simple video import tools
- No need to replay multiple side view video
- Video, Unwrapped and 3D outputs all on one display
- Video Comments/Snapshots
- Quick and easy to use
- Simple Report Wizard

STANDARD OUTPUTS


- Standard down-view video
- Full 360° unwrapped image
- Spanshots with depth and time display
- Industry-standard log header
- PDF Reports
- Comments against depth
- Borehole inclination log

VISUALIZER FEATURES

- Quick selection menu's
- Triple view visualizer
- Full control over image scaling and output
- Flexible comment writing/editing tools
- Image drag & rotate
- 3D Visualiser
- Data import/export wizard


VIDEO PROCESSING

Once the down view video is downloaded, the 360° unwrapped image is just a click away.



Standard Triple View Visualizer.


The full-width display allows a more detailed analysis of the full borehole image. Unlike conventional side-view camera outputs, users know exactly where they are in the borehole. No more disoriented images and reliance on the operator to capture features.



Detailed ‘unwrapped’ display.

COMMENTS & OBSERVATIONS


Comments and observations can be displayed against depth. These can be edited or deleted at any time.




Video comments menu and display.

SNAPSHOTS

Snapshots can be taken during replay, and can be viewed and edited before saving for inclusion in the final reports.



- Snapshots can be viewed and edited at anytime
- Depth and video time is recorded on the snapshots for the final reports




Example snapshot.

REPORTS AND DATA EXPORT

The report wizard provides a user-friendly reporting routine, which is quick and easy to use. Standard reports have never been easier.

Video unwrapping header

 ROBERTSON GEO Unlocking Your GeoData		PROJECT: GEOCAD VIZUALISER	
LOGNAME: RGEOEYE			
Date	27 JUNE 2022	Start Depth	52.74 m
Sonde	RGEOEYE 1000	End Depth	73.01 m
Company	RGASIA	Total Depth	20.27 m
Well Name	DEGANWY	Total Log Time	300 s
Field Name	RG TEST HOLE	Comments	
Country	UNITED KINGDOM		
State	WALES		
County	CONWY		
Latitude			
Longitude			

Video printing options

Print:

Header ☒

Snapshots ☒

Log ☒

Log range to print:

Start m


End m

Save Cancel

Standard header and report printing options.

BOREHOLE INCLINATION

Borehole inclination is also given, and this can be used to determine 'true vertical' depth, or provide vital information to aid pump installation etc.



Inclination display.

You simply select which elements you wish to include in your report and the wizard handles the rest. Standard reports are presented in a PDF format, and data images, video files and log data can also be exported in industry-standard formats.

Print Video

Media Size: A4

Margins: Normal

Save internal copy: ☐

Print Cancel

Standard printing layouts.

Print Video

Media Size: A4

Margins: Normal

Save internal copy: ☐

Print Cancel

Snapshot with depth and time.

Print Video

Media Size: A4

Margins: Normal

Save internal copy: ☐

Print Cancel

Unwrapped image, comments and Inclination.

Recommended minimum viable computer specification:

i7 7700 processor with 500GB SSD, 16GB of memory running Intel HD Graphics 630 card running Windows 10 64-bit